L Number	Hits	Search Text	DB	Time stamp
52	5	(("4868376") or ("5475756") or ("5737423") or ("5748737") or ("6038551")).PN.	USPAT; US-PGPUB	2003/10/28 13:10
-	1190	@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:41
-	15	@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)) same (user near authenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:33
-	203	(@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)))) and (card smartcard ((portable hardware) near token))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:34
-	116	@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication))) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:52
-	4	(@ad<19990201 and ((terminal "ATM" kiosk) same ((secur$3 trustworthy) adj (connection channel communication)) same (user near authenticat$3))) and (card smartcard ((portable hardware) near token))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:50
-	13	@ad<19990201 and (authenticat$3 near (terminal "ATM" kiosk) near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:35
-	83	"personal device"	EPO; DERWENT	2003/10/17 09:25
-	6	"personal device" and terminal	EPO; DERWENT	2003/10/17 09:25
-	1	2000-516125.NRAN.	DERWENT	2003/10/17 09:28
-	1	1026641.URPN.	USPAT	2003/10/17 09:29
-	2	@ad<19990201 and (authenticate near (terminal "ATM" kiosk) near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:39
-	5455	(asokan debar steiner waidner).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:39
-	202	((asokan) (herve and debar) (steiner and michael) (waidner and michael)).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:40
-	64	((asokan) (herve and debar) (waidner and michael)).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:43
-	52	@ad<19990201 and ((fake fraud$) near ("ATM" terminal kiosk client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:50
-	1	("5761309").PN.	USPAT; US-PGPUB	2003/10/17 09:47

–	40	meritt	EPO; DERWENT	2003/10/17 09:47
–	13	"668580"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:55
–	0	EP-668580-a.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:55
–	2	EP-668580-a1.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 10:38
–	9	5475756.URPN.	USPAT	2003/10/17 10:43
–	19	"225010"	USPAT; US-PGPUB; EPO; DERWENT	2003/10/17 13:19
–	1	1987-158703.NRAN.	DERWENT	2003/10/17 13:18
–	1	("4529870").PN.	USPAT; US-PGPUB	2003/10/17 14:05
–	1	("4795898").PN.	USPAT; US-PGPUB	2003/10/17 14:17
–	52	lookup near (bandwidth transfer$5)	USPAT; US-PGPUB	2003/10/17 14:18
–	3	lookup near (bandwidth)	USPAT; US-PGPUB	2003/10/17 14:18
–	16545	lookup adj table	USPAT; US-PGPUB	2003/10/17 14:19
–	222	(lookup adj table) and (lookup adj value)	USPAT; US-PGPUB	2003/10/17 14:19
–	46	((lookup adj table) and (lookup adj value)) and (lookup near (benefi$5 small$2 fast$3 bandwidth data))	USPAT; US-PGPUB	2003/10/17 14:25
–	66	@ad<19990201 and ((lookup adj (value table index)) near (because rather instead))	USPAT; US-PGPUB	2003/10/17 14:33
–	25	@ad<19990201 and ((transmit transfer) near (index adj3 table))	USPAT; US-PGPUB	2003/10/17 14:36
–	10	@ad<19990201 and ((predefined) near (index adj3 table))	USPAT; US-PGPUB	2003/10/17 14:42
–	1	("5475756").PN.	USPAT; US-PGPUB	2003/10/17 15:42
–	11	(("5534857") or ("5590199") or ("5604801") or ("5721781") or ("5809241") or ("5757918") or ("5146499") or ("4612413") or ("5856659") or ("5602918") or ("5774551")).PN.	USPAT; US-PGPUB	2003/10/20 08:07
–	9849	smart adj card	USPAT; US-PGPUB	2003/10/20 08:07
–	108	(smart adj card) near display	USPAT; US-PGPUB	2003/10/20 08:33
–	9	5734154.URPN.	USPAT	2003/10/20 08:17

–	129	("3946206" | "4047033" | "4545838" | "4634845" | "4689478" | "4700055" | "4746787" | "4750119" | "4754418" | "4766293" | "4831242" | "4868376" | "4882675" | "4897533" | "4906826" | "4923288" | "4928001" | "4954985" | "4978401" | "5025372" | "5055662" | "5080748" | "5095194" | "5117355" | "5175416" | "5192947" | "5202826" | "5247190" | "5276311" | "5287268" | "5287269" | "5297026" | "5311594" | "5326960" | "5328809" | "5339239" | "5350906" | "5359183" | "5397881" | "5399502" | "5401827" | "RE34915" | "5424524" | "5450477" | "5465206" | "5471669" | "5477038" | "5477040" | "5479494" | "5482139" | "5500514" | "5511114" | "5512654" | "5521363" | "5530232" | "5530235" | "5537314" | "5544086" | "5544246" | "5577109" | "5578808" | "5585787" | "5590038" | "5608785" | "5621787" | "5637845" | "5649118" | "5653914" | "5664110" | "5664157" | "5672678" | "5675607" | "5677955" | "5689100" | "5703344" | "5708422" | "5710458" | "5710886" | "5715399" | "5721768" | "5727153" | "5728998" | "5734154" | "5736728" | "5760381" | "5765141" | "5770843" | "5770849" | "5777305" | "5777306" | "5777903" | "5787404" | "5789733" | "5807627" | "5815657" | "5815658" | "5845259" | "5857079" | "5857709" | "5859419" | "5864609" | "5864830" | "5870718" | "5870721" | "5883377" | "5883810" | "5920844" | "5930217" | "5931764" | "5940811" | "5952641" | "5955961" | "5984191" | "5991750" | "6002383" | "6003762" | "6004681" | "6016954" | "6019284" | "6032134" | "6036099" | "6038552" | "6045042" | "6049463" | "6068183" | "6138917" | "6243688" | "6402039" | "6450407").PN.	USPAT	2003/10/20 08:27
–	891	@ad<19990201 and (message same display) and (smart adj card)	USPAT; US-PGPUB	2003/10/20 08:34
–	359	@ad<19990201 and (message same display same card) and (smart adj card)	USPAT; US-PGPUB	2003/10/20 09:27
–	1	("5737423").PN.	USPAT; US-PGPUB	2003/10/20 10:01
–	8	("4845740" | "4868900" | "4891503" | "4908521" | "5351187" | "5376778" | "5382778" | "5412192").PN.	USPAT	2003/10/20 09:27
–	593	card same request same user same authenticat$3	USPAT; US-PGPUB	2003/10/20 10:01
–	5	(card near request) same (user near authenticat$3)	USPAT; US-PGPUB	2003/10/20 10:07
–	1	("4926480").PN.	USPAT; US-PGPUB	2003/10/20 10:35
–	1	@ad<19990201 and ((authenticat$3 verif$7) near (smart adj card) near (server host))	USPAT; US-PGPUB	2003/10/20 11:05
–	144	@ad<19990201 and ((authenticat$3 verif$7) same (smart adj card) same (server host))	USPAT; US-PGPUB	2003/10/20 10:56
–	4	("5293424" | "5509073" | "5588146" | "5826011").PN.	USPAT	2003/10/20 10:56
–	16	5923884.URPN.	USPAT	2003/10/20 10:57
–	131	@ad<19990201 and ((authenticat$3 verif$7) near (smart adj card))	USPAT; US-PGPUB	2003/10/20 11:05
–	27	@ad<19990201 and ((authenticat$3 verif$7) near (smart adj card)) and (theft steal$3)	USPAT; US-PGPUB	2003/10/20 12:39

C:\APPS\EAST\Workspaces\09_496065_personal_device_server_methods_for_establishing_trustworthy_conn

-	0	("0668580").PN.	EPO; JPO; DERWENT; IBM_TDB	2003/10/20 12:40
-	6	"668580"	EPO; JPO; DERWENT; IBM_TDB	2003/10/20 12:41
-	9	"566811"	EPO; JPO; DERWENT; IBM_TDB	2003/10/20 12:42
-	11	"225010"	EPO; JPO; DERWENT; IBM_TDB	2003/10/20 12:44
-	1	5761309.pn.	EPO; JPO; DERWENT; IBM_TDB	2003/10/20 12:45
-	6	"668580"	EPO; JPO; DERWENT; IBM_TDB	2003/10/20 12:45
-	855	@ad<19990201 and ((terminal "ATM" kiosk) same (phrase))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:41
-	5	@ad<19990201 and ((terminal "ATM" kiosk) same (pass adj phrase))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:45
-	0	@ad<19990201 and (send near (terminal "ATM" kiosk) near partial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:45
-	0	@ad<19990201 and (send near (terminal "ATM" kiosk) near partial$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:46
-	3	@ad<19990201 and (random near question near user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 16:09
-	89	@ad<19990201 and (random near question)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 16:09
-	37	@ad<19990201 and (random near question) and (security authenticat$3 verif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 17:09
-	5	(("4868376") or ("5475756") or ("5737423") or ("5748737") or ("6038551")).PN.	USPAT; US-PGPUB	2003/10/21 17:28
-	140	(look adj up) near (station terminal kiosk)	USPAT; US-PGPUB	2003/10/21 17:28
-	85	(look adj up) near (terminal kiosk)	USPAT; US-PGPUB	2003/10/22 08:10
-	1880	store near terminal	USPAT; US-PGPUB	2003/10/22 08:10
-	0	store near terminal near rather	USPAT; US-PGPUB	2003/10/22 08:10
-	35	store near terminal same rather	USPAT; US-PGPUB	2003/10/22 08:10
-	87	@ad<19990201 and (store near terminal) and (smart adj card)	USPAT; US-PGPUB	2003/10/22 08:11
-	3	@ad<19990201 and ((store near terminal) same predetermined) and (smart adj card)	USPAT; US-PGPUB	2003/10/22 08:12
-	27	@ad<19990201 and ((store near terminal) same predetermined) and (card)	USPAT; US-PGPUB	2003/10/22 08:12

C:\APPS\EAST\Workspaces\09_496065_personal_device_server_methods_for_establishing_trustworthy_conn

-	1	("5475756").PN.	USPAT; US-PGPUB	2003/10/22 08:18
-	1	(("5475756").PN.) and (phrase "PSP")	USPAT; US-PGPUB	2003/10/22 08:21
-	16571	"lookup table"	USPAT; US-PGPUB	2003/10/22 08:21
-	6759	"lookup table" and (terminal kiosk client workstation)	USPAT; US-PGPUB	2003/10/22 08:21
-	138	("lookup table" and (terminal kiosk client workstation)) and (index near lookup)	USPAT; US-PGPUB	2003/10/22 08:30
-	1470	predetermined adj response	USPAT; US-PGPUB	2003/10/22 08:30
-	80	(predetermined adj response) and (look adj up adj table)	USPAT; US-PGPUB	2003/10/22 08:33
-	2	((predetermined adj response) and (look adj up adj table)) and "ATM"	USPAT; US-PGPUB	2003/10/22 08:31
-	206	(look adj up adj table) near (response)	USPAT; US-PGPUB	2003/10/22 08:34
-	21	((look adj up adj table) near (response)) and (reduce same (transfer$4 transmit$3 send$3))	USPAT; US-PGPUB	2003/10/22 08:45
-	27035	((predetermined predefined (hard adj cod$3)) same ("ATM" client terminal kiosk) same (stor$3 record$3 contain$3))	USPAT; US-PGPUB	2003/10/22 08:46
-	28	((predetermined predefined (hard adj cod$3)) near ("ATM" client terminal kiosk) near (stor$3 record$3 contain$3))	USPAT; US-PGPUB	2003/10/22 08:48
-	2038	@ad<19990201 and ((predetermined predefined (hard adj cod$3)) same ("ATM" client kiosk) same (stor$3 record$3 contain$3))	USPAT; US-PGPUB	2003/10/22 09:01
-	6170	@ad<19990201 and ((error message) adj code)	USPAT; US-PGPUB	2003/10/22 09:02
-	254	@ad<19990201 and (((error message) adj code) same (reduc$3))	USPAT; US-PGPUB	2003/10/22 09:10
-	954	@ad<19990201 and (((error message) adj code) same (database table))	USPAT; US-PGPUB	2003/10/22 09:11
-	32	@ad<19990201 and (((error message) adj code) same (database table)) and (reduc$3 near bandwidth)	USPAT; US-PGPUB	2003/10/22 09:12
-	24	@ad<19990201 and ((((error message) adj code) same (database table)) same host) and (reduc$3 near (traffic space size bandwidth time))	USPAT; US-PGPUB	2003/10/22 09:12

C:\APPS\EAST\Workspaces\09_496065_personal_device_server_methods_for_establishing_trustworthy_conn